

Newbury Fire Rescue  
2018 YTD Run Summary

Date	Location	Description	Comments	Response
1/1/2018	45 Old Province Rd, Goshen	Mutual Aid Fire	Cancelled in Route	E3
1/2/2018	Old Post Rd	Medical	NLA Transported to Concord	C1, R1
1/3/2018	356 Chalk Pond Rd	Alarm Activation	CO alarm set off by wood stove	E4
1/3/2018	New London Garage fire	Mutual Aid	Cancelled	
1/3/2018	231 Fisher Corner Rd, Springfield	Mutual Aid	Water Supply for 4 alarm fire	E2, E3
1/4/2018	26 Cloverfield Rd	Odor Investigation	Investigate sewer gas odor	PV
1/4/2018	1380 Route 103 Mountains Edge	Alarm Activation	Broken sprinkler pipe, owner repairing	PV
1/4/2018	Mountainside Rd/South Rd	Wires down	Tree blocking road, Eversource responded	R1, PV
1/5/2018	155 Morse Hill	Wires down	Tree on wires blocking Rd., Put cones out	R1, PV
1/5/2018	Forest Brook Cir.	Service Call	Proved heating fuel for elderly resident	C1
1/6/2018	1380 Route 103 Mountains Edge	Inspection	Check on broken sprinkler	C1
1/6/2018	Southgate Rd	Service Call	Assist elderly Resident	PV
1/7/2018	559 Park Rd.	Alarm Activation	Small fire in US cellular ext by sprinkler	C1, E4
1/7/2018	Bowles Rd	Medical	NLA Resp lift assist only no transport	PD
1/8/2018	Chalk Pond Rd	Alarm Activation	Set off by workers	C1
1/8/2018	Route 103 at Traffic Cir	Motor Vehicle Collision	NLA responded no PI, 1 car towed	C1, R1, E4
1/8/2018	Circlevew	Medical	NLA Transported to NLH	C1, R1, PVAs
1/9/2018	Southgate Rd	Medical	Henniker Ambulance Responded, no transport	R1, PV
1/10/2018	52 Newbury Heights Rd	Medical	Lift Assist	R1
1/11/2018	Sleepy St	Service Call	Assist elderly Resident	PV
1/12/2018	Morse Lane	Medical	NLA Transported to Concord	R1, PV, C1, PD
1/12/2018	156 Mount Sunapee Rd	Inspection	Place of Assembly Inspection	C1
1/12/2018	30 Sutton Rd	Service Call	Ice jam flooded building	C1, R1, PVAs
1/13/2018	Highland Ave	Electrical hazard	Tree blocking road, Eversource responded	C1, R1
1/13/2018	52 Newbury Heights Rd.	Medical	NLA Transported to Concord	C1, R1
1/13/2018	4 West Hill Rd, Sunapee	Mutual Aid	Smoke from fireplace, cancelled	
1/18/2018	Lakewood Manor Rd/ Rte. 103	Electrical hazard	Wires/pole down Closed Road	C1, why
1/19/2018	1380 Route 103 Mountains Edge	Inspection	Assembly Permit Inspection	C1
1/19/2018	156 Mount Sunapee Rd	Inspection	Follow up on place of assembly	C1
1/20/2018	938 Route 103, Quick Stop	Fire alarm	Checked Building nothing found, mutual aid cancel	C1, E3, E4
1/22/2018	Morse Hill Rd	Medical	NLA Transported to Concord	R1, PV, PD
1/22/2018	Route 103A at Chalk Pond Rd	Motor Vehicle Collision	Ambulance roll over.NLA. Transport to DHMC	C1, E3, R1
1/22/2018	1380 Route 103 Mountains Edge	Investigation	Investigate assembly complaint	C1
1/23/2018	Route 103 at Frosttop	Electrical hazard	Wires down	
1/23/2018	Chalk Pond & Gerald Dr	Electrical hazard	tree on wires	C1, R1

Newbury Fire Rescue  
2018 YTD Run Summary

1/23/2018	Shore drive		Electrical hazard	tree on wires coned road	R1
1/23/2018	Route 103A at Chalk Pond Rd		Electrical hazard	Branch on cable wires, removed	C1, R1, E4, PV
1/23/2018	Rollins Road		Electrical hazard	Nothing found	C1, E4
1/23/2018	976 Route 103, Bubba's		Odor of smoke	Furnace problem, vented basement	C1, E4
1/23/2017	164 Cheney Rd		Electrical hazard	Tree on wires, stand by for Eversource	C1, R1
1/24/2018	Route 103 at Southgate		Motor Vehicle Collision	Box truck rollover, NLA Transp to NLH	C1, R1, PV
1/24/2018	Chalk Pond Rd		Medical	NLA Transported to NLH	R1,PV
1/24/2018	Cheney Rd		Medical	Cancelled, resetting med alarm	C1, R1
1/26/2018	Town Dock, 977 Route 103		Rescue	Assisted person who fell through Ice	C1
1/27/2018	156 Mount Sunapee Rd		Inspection	Assembly capacity Inspection	C1
1/27/2018	22 North Peak Village Rd		Alarm Activation	Steam from shower	C1, E4
1/27/2018	Cheney Rd		Medical	New London Amb transported to Concord	C1, R1, PV, PD
1/28/2018	167 Baypoint, Upd to State Beach		Rescue	ATV through the ice, No Inj, No transport	C1, R1, PD
1/29/2018	Pine St		Medical	New London Amb responded, no transport	E4, PD
1/29/2018	Bowles Rd		Medical	New London Amb transported to DHMC	R1, Hwy
1/29/2018	Grace Hill & Route 103A		Inspection	Check on street numbering violation	C1
1/31/2018	Lakewood Manor Rd		Outside Burning	Investigate outside burning	C1

2/2/2018	Route 103 at Brookside Rd		Motor Vehicle Collision	Box truck leaking fluid	C1, R1, E4, PD
2/4/2018	52 Newbury Heights Rd		Medical	New London Ambulance transported to NLH	R1, PV, PD
2/6/2018	62 Fernwood, New London		Mutual Aid	Canceled in Route	
2/6/2018	4 Gerald Dr		Motor Vehicle Collision	NLA Transported to DHMC	C1, R1, E4
2/6/2018	State Beach		Landing Zone	DHART Cancelled	C1
2/7/2018	1403 Rte 103, Sunapee Lake Lodge		Alarm Activation	Pull station pulled by child	PV
2/9/2018	Mount Sunapee Resort		Medical	Cancelled	
2/11/2018	33 Stony Brook Rd		Motor Vehicle Collision	Car off road, no PI	PV
2/11/2018	Chalk Pond Rd		Medical	NLA Transported to DHMC	C1, R1, PD
2/13/2018	928 Route 103		Electrical Hazard	Wires Down	C1, R1, PV
2/13/2018	100 Beach Access Rd		Medical	NLA Transported to Concord	R1, PV, PD
2/14/2018	52 Newbury Heights Rd		Medical	NLA Transported to NLH	C1, R1
2/14/2018	Bly Hill Rd		Medical	NLA Transported to NLH	R1, PV
2/18/2018	99 Newal Rd		Alarm Activation	Smoke from fireplace, Cancelled	C1
2/25/2018	Route 103 at Chalk Pond Rd		Motor Vehicle Collision	No PI, NLA resp, no transport	C1, R1,PD
2/26/2018	Mount Sunapee Resort Med Rm		Medical	Landing Zone for DHART	C1, R1, E4
2/22/2018	Route 103A and Bowles Rd		Motor Vehicle Collision	Car off road, no PI	C1
2/27/2018	976 Route103 Bubbas		Fire alarm	Smoke from wood oven	C1
2/27/2018	Washington Street		Medical	NLA Transported to NLH	R1, PV

Newbury Fire Rescue  
2018 YTD Run Summary

2/27/2018	952 Route 103		Medical	Walk in medical, NLA Responded, no transport	
2/28/2018	976 Route 103 (Bubbas)		Medical	NLA Responded, no transport	C1, R1

3/2/2018	18 Whitney's Way		Medical	NLA Responded 2 amb, transport to NLH	C1, R1, E4, PV, PD
3/4/2018	Mount Sunapee Resort Lot 1		Motor Vehicles Incident	Minor collision, no PI	R1, E4, PD
3/5/2018	18 Whitney's Way		Medical	NLA transported to NLH	R1, PV, Pd
3/6/2018	Route 103 at Colburn Farm Rd		Motor Vehicles Incident	Car off Rd Down Hill, Extricate Victim	C1, R1, E3, E4, PV P
3/6/2018	State beach LZ		Service Call	Set up Landing Zone for DHART	E2
3/6/2018	Route 103 and Morse Hill Rd		Medical	Henniker Ambulance resp, Cancelled in route	R1, PV, Pd
3/6/2018	52 Newbury Heights Rd		Service call	Assist elderly resident	PV
3/7/2018	52 Newbury Heights Rd		Medical	NLA Transported to NLH	R1
3/8/2018	Route 103 at Mountain Road		Motor Vehicles Incident	Car off road, no PI	R1
3/8/2018	683 Route 103		Animal Rescue	Removed dog from septic tank	C1, R1
3/11/2018	Route 103 at Sutton Rd		Medical	Assist PD with children walking on road	C1, R1, PV, PD
3/13/2018	Route 103 & Sutton Rd		Motor Vehicles Incident	Car into pole, no PI	R1, PV, Pd
3/13/2018	163 Bay Point Rd		Alarm Activation	Burned Food	E4
3/14/2018	26 Cloverfield		Service Call	Assist homeowner	E4
3/18/2018	20 High Mowing Rd, Sutton		Mutual Aid	Cancelled in Route	E3, T1, C1
3/29/2018	9 North Peak Village Rd		Alarm Activation	Set off by workers	Pd
3/30/2018	952 Route 103		Medical	NLA transported to NLH	R1
3/31/2018	183 Chalk Pond Rd		Alarm Activation	Set off by cooking	E4, PV, PD

4/2/2018	683 Route 103		Medical	NLA Transported to NLH	C1, R1, PV, PD
4/3/2018	Route 103 & Sutton Rd		Motor Vehicle Incident	TT Vs car, no PI, Ambulance cancelled	C1, R1, PV, PD
4/4/2018	Route 103 at Beach Access Rd		Electrical Hazard	Wire arking, Eversource on scene, No service	E4, PD
4/4/2018	178 Morse Hill Rd		Electrical Hazard	Wires down, power failure in area	c1, E4, PV
4/5/2018	Route 103A at Bowles rd		Road obstruction	Tree across road, cut up and removed	C1, E3, E4, PV
4/5/2018	36 Winding Brook Rd		Odor investigation	Smoke from defective power strip	E4, PV
4/5/2018	179 ount Sunapee Road		Alarm Activation	Alarm set off by power failure	PV
4/5/2018	120 Morse Hill Rd		Electrical Hazard	Wires Down	E3, PV
4/6/2018	106 ChalkPond rd		Odor investigation	Checked area with meter, noing found	C1, E4
4/6/2018	136 Village Road		Medical	NLA responded, no transport	R1, PV, PD
4/9/2018	334 Rollins Rd		Medical	NLA Transported to DHMC	R1, PV, PD
4/11/2018	Route 103 at Traffic Circle		Motor Vehicle Incident		
4/16/2018	Route 103 at Bradford Line		Motor Vehicle Incident	Car off road no PI	C1, R1, PD

Newbury Fire Rescue  
2018 YTD Run Summary

4/16/2018	52 Newbury Heights Rd		Medical		C1, R1
4/16/2018	212 Route 103A		Motor Vehicle Incident	Two car collision two NLAs transport to NLH	C1, R1, E4, PD
4/18/2018	191 Route 103A		Medical	NLA Transported to Concord	R1, PV
4/18/2018	134 Meadow Rd		Alarm Activation	Alarm set off by cooking, no fire	E4, PD
4/26/2018	90 Baker Hill Rd		Medical	NLA responded, transported to NLH	R1, PV
4/29/2018	52 Newbury Heights Rd		Medical	NLA Transported to NLH	R1

5/1/2018	Lakeview Rd		Medical	NLA Transported to NLH	R1, E1
5/2/2018	1116 Route 103		Smoke in Area	Unpermitted Burning, Extinguished Fire	C1, E4, PV, PD
5/4/2018	Circle Dr.		Medical	NLA Transported to NLH	R1
5/4/2018	224-232 Bay Point Rd		Alarm Activation	Set off by power failure	C1, E4, PD
5/4/2018	Newel Rd and West and		Electrical Hazard	Coned off road	C1, R1 E1, PD
5/4/2018	Fairgrounds Rd, Bradford		Electrical Hazard	Mutual Aid to Bradford for wires down	C1
5/4/2018	Village Rd & Morse Hill Rd		Electrical Hazard	Coned off road	C1, R1 E1, PD
5/5/2018	Circleview Drive		Road Obstruction	Cut up tree	C1, R1 E1, PD
5/5/2018	Emily Lane		Road Obstruction	H1 on scene, removed tree	PV, HWY
5/5/2018	Sutton Road		Road Obstruction	Coned off road	PV, HWY, C1
5/9/2018	52 Richards Rd		Grill Fire	Extinguished	C1, PV
5/10/2018	937 Route 103		Alarm Activation	Technician working on system	PV
5/11/2018	Whitney's Way		Medical	NLA Transported to NLH	R1
5/12/2018	Morse Hill Rd		Medical	NLA Transported to NLH	R1 PV
5/12/2018	1236 Route 103		Smoke in Area	Searched along lake, nothing found	B1, E4, PV, PD
5/14/2018	Bay Point Rd		Medical	NLA Transported to NLH	R1, PV PD
5/16/2018	Brown Rd		Medical	NLA Transported to NLH	R1, PV PD
5/18/2018	Bowles Rd		Medical	Unintentional alarm	R1, C1, Pv
5/19/2018	Village Road		Public Safety Detail	Chicken Farmer Race	C1 R1, E4
5/20/2018	Bay Point Rd		Medical	NLA Transported to NLH	C1 R1, PV, PD
5/21/2018	Route 103A		Medical	NLA Transported to NLH	C1 R1, PV
5/25/2018	365 Bowles Rd		Alarm Activation	Unintentional alarm	R1, PV
5/25/2018	Chalk Pond Rd at Route 103A		Medical	NLA Responded, no transport	C1 R1, PD
5/26/2018	Richards Rd		Medical	Unintentional alarm	C1 R1, PV
5/26/2018	Lake Ave		Medical	NLA Transported to NLH	R1, PD
5/29/2018	Route 103A		Medical	NLA Transported to NLH	R1, PV PD
5/30/2018	1403 Route 103 Lake Sunapee Lodge		Medical	NLA Transported to NLH	R1, PD

Newbury Fire Rescue  
2018 YTD Run Summary

6/3/2018	285 Route 103A		WelfareCheck	PD on scene, response cancelled	<i>Pd</i>
6/9/2018	101 Baker Hill Rd		Inspection	Tent inspection, Assembly Permit	<i>Pv</i>
6/10/2018	17 Morse Ln		Service Call	Residential Lock out	<i>Pv</i>
6/11/2018	Route 103 at Old Post		Alarm Activation	Motor Vehicle Incident	<i>Pv</i>
6/11/2018	234 Rollins Rd		Medical	NLA Transported to NLH	<i>R1 Pv</i>
6/12/2018	Lake Sunapee off Yacht Club		Search & Rescue	Assist Sunapee PD with overturned boat	<i>B1</i>
6/14/2018	14 Bell Cove Rd		Medical	NLA Transported to NLH	<i>R1 Pv</i>
6/15/2018	43 Bartlett Rd		Medical	NLA Transported to NLH	<i>C1, R1, PV, PD</i>
6/16/2018	318 Old Post Rd		Medical	NLA Responded, no transport	<i>C1, R1, PV, PD</i>
6/17/2018	139 Gillingham Dr		Medical	NLA transported to Concord	<i>C1, R1, PV, PD</i>
6/17/2018	124 Stonybrook Rd		Illegal burn	Extinguished	<i>E4</i>
6/17/2018	31 Washington St		Alarm Activation	Unintentional activation	<i>C1, E2</i>
6/18/2018	13 Jenkins Rd		CO Alarm Activation	No readings on meters	<i>E4</i>
6/19/2018	138 Bowles Rd		Medical	NLA transported to DHMC	<i>R1, PD</i>
6/19/2018	1387 Route 103		Medical	NLA Responded, no transport	<i>R1, PD, PV</i>
6/19/2018	8 Birchfield Rd E		Illegal burn	Extinguished unattended fire	<i>E4, PV</i>
6/19/2018	22 Ridge Road		Medical	NLA transported to NLH	<i>R1, PD, C1</i>
6/22/2018	99 Gerald Dr		Medical	NLA Transported to NLH	<i>R1</i>
6/23/2018	372 Sutton Rd		Alarm Activation	Food on stove	<i>PV</i>
6/23/2018	Baker Hill Rd		Traffic obstruction	Tree limb blocking Road, removed limb	<i>E4, PD</i>
6/25/2018	Route 103 at Edgemont Rd		Motor Vehicle Incident	Car into ledge, No PI, No ambulance, car towed	<i>R1, PV, PD</i>
6/25/2018	35 Newbury Heights Rd		Medical	NLA Transported to NLH	<i>R1, PD, PV</i>
6/26/2018	Brown Road		Traffic obstruction	Tree across the road	<i>E4</i>
7/2/2018	Bay Point Landing Road		Medical	NLA Transported to NLH	<i>R1, E4, PD</i>
7/3/2018	Rollins Rd		Medical	NLA Transported to NLH	<i>R1, PD</i>
7/3/2018	394 Sutton Road		Service call	Assist with smoke detector	
7/3/2018	Greystone Rd		Medical	NLA Transported to NLH	<i>R1, PD, PV</i>
7/3/2018	Sunapee yacht Club		Safety detail	Stand-by for fireworks display	<i>B1</i>
7/4/2018	Lake Sunapee		Safety Detail	Fireworks safety patrol	<i>B1</i>
7/4/2018	Mount Sunapee Solitude trail		Search & rescue	Located and walked out Hikers	<i>C1, R1, PV, PD</i>
7/5/2018	Morse Hill Rd		Medical	NLA Transported to NLH	<i>C1, R1</i>
7/5/2018	52 Newbury Heights Rd		Alarm Activation	Smoke form burned food	<i>E4</i>
7/5/2018	Gillingham Dr		Motor Vehicle Incident	Roll over No PI	<i>C1, R1, E4 PV</i>
7/6/2018	Mountain Rd & Box Corner		Electrical Hazard	Coned off Road	<i>C1, H1, PD, PV</i>
7/6/2018	Lake Sunapee, near Bay Point		Search & rescue	Overturned boat passengers picked up by private b	<i>B1, R1</i>

Newbury Fire Rescue  
2018 YTD Run Summary

7/6/2018	47 Route 103A		Road Hazard	Coned off Road	C1
7/7/2018	952 Route 103 Safety Services		Medical	NLA Rspoded no transport	
7/7/2018	976 Route103, Bubbas Restaurant		Medical	NLA Rspoded no transport	R1, PD
7/7/2018	Sunapee Harbor		Safety detail	Sunapee Fireworks	B1
7/9/2018	100 Beach Access rd		Odor of Propane	Checked with meter, no reading	C1, E4, PD
7/11/2018	193 Route 103		Motor Vehicle Incident	No PI, car off the road in ditch, stand by for tow	C1, R1, E4 PV
7/12/2018	100 Beach Access rd		Medical	No injury, NLA responded no transport	R1, PD, PV
7/13/2018	Orchard St		Medical	NLA Transported to NLH	R1
7/13/2018	Bowles Rd		Medical	NLA Transported to NLH	R1
7/13/2018	Highland Rd		Medical	NLA Transported to DHMC	R1
7/14/2018	Lake Sunapee		Safety detail	Fireworks Detail	B1
7/15/2018	Richards Road		Medical	NLA Transported to NLH	R1
7/17/2018	Morse Hill Rd		Medical	NLA Transported to Concord	R1
7/18/2018	130 Bowles Rd		Alarm Activation	Caused by homeowner changing battery	E4
7/19/2018	Morse Ln		Medical	NLA Transported to DHMC	R1, PV, PD
7/19/2018	Cheney Rd		Medical	LNLA Transported to NLH	R1
7/20/2018	Bay Point Rd		Medical	NLA Transported to DHMC	R1
7/20/2018	Route 103 & Lakewood Manor		Motor Vehicle Incident	Car over embankment, no PI	E4, T1, Pv
7/21/2018	246 Route 103A		Alarm Activation	Unintentional Alarm	E4, PV, PD
7/21/2018	Old Post Rd		Medical	NLA Transported to NLH	R1, PD, PV
7/23/2018	21 High Ridge rd		Alarm Activation	Faulty Smoke detector	E4, C1, PV
7/24/2018	Greystone Rd		Medical	NLA Transported to NLH	C1, R1, PD, PV
7/25/2018	Gillingham Dr		Hazmat Spill	Diesel Fuel Spill	C1, HD
7/26/2018	1403 Route 103 Sunapee lake Lodge		Alarm Activation	Set off by workers	E4, PV, PD
7/26/2018	378 Newbury Rd Sutton		Kitchen fire	Canceled inRoute	E2, T1
7/26/2018	108 Colburn Farm Rd		Alarm Activation	Faulty Smoke detector	C1, PV
7/27/2018	Route 103		Medical	NLA cancelled, patient refusal	C1, R1, PV, PD
7/29/2018	906 Mountain Rd		Search & rescue	Family located person	C1, R1, PD
7/29/2018	26 Ramblewood Dr		1 St Alarm	Reported smoke from hous, was car burning rubber	C1, E4, T1, PD

Newbury Fire Rescue  
2018 YTD Run Summary

8/1/2018	372 Stagecoach Rd, Sunapee		Mutual Aid	Truck fire next to house	<i>E2, T1</i>
8/2/2018	31 Brook Rd, Goshen		Mutual Aid Building fire	Building Fire	<i>T1</i>
8/2/2018	Mount Sunapee Spruce lodge		Medical	NLA Responded, no transport	<i>R1</i>
8/2/2018	Mount Sunapee Resort		Inspection	Crafts fair Tent inspection	<i>C1</i>
8/3/2018	Route 103 at Lakewood Manor Rd		Motor Vehicle Incident	Car off road, no PI	<i>C1, R1, PD</i>
8/3/2018	Mount Sunapee Resort		Inspection	Crafts fair Tent Inspection	<i>C1</i>
8/6/2018	958 Route 103 Quick Stop		Motor Vehicle Incident	No PI, Minor damage	<i>R1</i>
8/6/2018	211 Route 103		Motor Vehicle Incident	NLA & Henniker transported to NLH	<i>R1, E4, PV, PD</i>
8/6/2018	156 Mount Sunapee Rd		Medical	Golder Cross aid Station, NLA Trans to NLH	<i>R1</i>
8/6/2018	Town Dock, Route 103		Hazardous Conditions	Put up caution tape	<i>PV</i>
8/7/2018	260 Bowles Rd		Motor Vehicle Incident	Single car into a tree, No PI	<i>PV</i>
8/7/2018	Routwe 103 Traffic Circle		Motor Vehicle Incident	Two cars involved, No PI, NLA Resp, No transport	<i>R1, E4, PD</i>
8/8/2018	57 Newell Rd		Alarm Activation	CO Alarm no symptoms	<i>C1</i>
8/9/2018	Cheney Rd		Medical	NLA Transported to NLH	<i>C1, R1</i>
8/9/2018	Blodgett Landing Marina		Fuel Spill	Sinking boat, minor fuel spill, Marine pat Notified	<i>E4, PV</i>
8/9/2018	310 Bowles Rd		Service Call	Lift Assist	<i>C1, R1</i>
8/10/2018	Washington St		Medical	NLA transported to DHMC	<i>C1, R1, PV</i>
8/11/2018	Mountain Road		Medical	Rescue from field, NLA Transp to Concord	<i>C1, R1, PD, PV</i>
8/11/2018	Southgate		Medical	NLA transported to NLH	<i>C1, R1, PD, PV</i>
8/13/2018	Proctor Rd		Wellbeing Check	Stage for PD, party not at location	<i>C1, R1, PD</i>
8/14/2018	38 Emily Ln		Hazardous Conditions	Lawn Mower struck Propane line, shut off	<i>C1, R1</i>
8/14/2018	267 Chalk Pond		Alarm Activation	Detectors beeping, no fire	<i>C1</i>
8/14/2018	167 Village Road		Service Call	Problem wth Gas stove. Assisted resident	<i>C1</i>
8/15/2018	1403 Route 103. Sunapee Lake Lodge		Medical	NLA transported to NLH	<i>R1, PV. PD</i>
8/15/2018	163 Bay Point Rd		Alarm Activation	Set off by cooking	<i>C1, E4, PV, PD</i>
8/17/2018	114 Colburn Farm Rd		Smoke in building	Lightning caused electrical problem no fire	<i>E4, PV, T1, PD</i>
8/18/2018	Sunapee Harbor		Safety detail	Sunapee 250 th Fireworks	<i>B1</i>
8/19/2018	Winding Brook Rd		Motor Vehicle Incident	Single car into a tree, No PI	<i>C1, R1</i>
8/19/2018	Bowles Rd		Medical	NLA Transported to NLH	<i>C1, R1</i>
8/24/2018	14 Fisherfield		Electrical Hazard	Stand By	<i>E4</i>
8/24/2018	2 Frazer Ave		Outside fire explosion	Outside Fire	<i>E4, T1</i>
8/26/2018	7 Edgemont Landing		Alarm Activation	Report propane alarm, Check w meter, no reading	<i>C1, E4, PV, PD</i>
8/27/2018	Blodgett Landing Rd		Medical	NLA Transported to NLH	<i>R1</i>
8/28/2018	Colburn Farm Road		Road Obstruction	Tree in road, placed cones	<i>PV</i>
8/29/2018	976 Route103		Medical	NLA Transported to NLH	<i>R1, PV. PD</i>
8/31/2018	Route 103 at North Peak Village		Motor Vehicle Incident	Two car collision No PI	<i>R1, T1, E4, PV, PD</i>

Newbury Fire Rescue  
2018 YTD Run Summary

8/30/2018	Winding Buook Rd		Hazmat spill	C1, PD Investigated	C1
9/2/2018	7 Edgemont Landing		Alarm Activation	No problem found	E4, PD
9/2/2018	Morse Hill Rd		Medical	No transport	R1, PV, PD
9/5/2018	976 Route 103		Medical	NLA Transported to NLH	R1
9/7/2018	Cheney Road		Service Call	Lift Assist	R1, C1, PV
9/8/2018	142 Stoney Brook Road		Outside Fire	Permitted Burning	E4, PD, PV
9/11/2018	57 Old County Road North		Alarm Activation	Nothing found	E4, PV
9/11/2018	310 Bay Point Rd		Alarm Activation	Nothing found	E4, C1, PD
9/14/2018	Pine St		Medical	NLA Transported to NLH	R1
9/14/2018	Route 103 at Ledge Hill		Medical	Police matter, no injury/transport	C1, R1, PV, PD
9/14/2018	249 Old Province Rd		Vehicle Incident	Roll Over, No Inj, NLA Resp , no transport	R1, C1, PV, E4, PD
9/14/2018	101 Baker Hill Rd		Medical	NLA Resp, no transport	R1
9/21/2018	Whitney's Way		Medical	NLA Transported to NLH	R1, PD
9/22/2018	Pine St		Medical	NLA Transported to NLH	R1, PV
9/23/2018	9 North Peak Village Rd.		Alarm Activation	Owner changing batteries, no problem	PV
9/23/2018	268 Bowles Rd		Carbon Monoxide	Defective furnace, reading in house, vented	E4, PV
9/23/2018	Park 10 Rd.		Medical	NLA Transported to NLH	R1, PV, PD
9/23/2018	Lake Ave		Medical	NLA Transported to NLH	R1, PV
9/24/2018	Morse Ln		Medical	NLA Transported to Concord	R1, PV
9/24/2018	Circlevue Dr		Medical	NLA Responded, no transport	C1
9/25/2018	230 Bowles Rd		Electrical Hazard	Wires down, closed road	C1, E4, PD
9/26/2018	Bowles Rd		Service Call	Lift Assist	R1
9/26/2018	Bowles Rd		Service Call	Lift Assist	R1
9/30/2018	Old County Rd North		Medical	NLA Transported to NLH	R1, PV, PD
9/30/2018	Ramblewood Cir		Medical	NLA Responded, no transport	C1, R1, PV, PD



Newbury Fire Rescue  
2018 YTD Run Summary

10/1/2018	Chalk Pond Rd		Medical	NLA Transported to NLH	R1
10/1/2018	Chalk Pond Rd		Service Call	Lift Assist	R1, C1, PD
10/1/2018	11 Lower Main St Sunapee		Mutual Aid Fire	Canceled in Route	E2
10/4/2028	57 Lakewood Manor Rd		Alarm Activation	Water Problem, water heater leak	C1, E4, PD, PV
10/5/2018	3 North Peak Village Rd		Alarm Activation	Nothing Found	PV
10/5/2018	Baypoint Rd		Medical	NLA Transported to NLH	C1, R1, PV, PD
10/6/2018	101 Baker Hill Rd		Electrical Hazard	Wires down	PV
10/6/2018	Bell Cove Rd		Medical	NLA Transported to NLH	R1, PV, PD
10/6/2018	Proctor Rd		Service Call	Lift Assist, Ambulance cancelled	R1, PV, PD
10/7/2018	83 Bowles Rd		Service Call	Lock out, opened door for resident	C1, E4,
10/9/2018	1485 Route 103		Police Assist	Assist PD with traffic stop	E4, PD, PV
10/10/2018	100 Beach Access Rd		Odor of Propane	Nothing found	C1, E4,PV, PD
10/11/2018	101 Old Post Rd		Police Assist	Police stand by, No service	R1
10/11/2018	Newell Rd		Medical	Ambulance cancelled	R1
10/12/2018	111 Hells Coner Rd, Sunapee		Mutual Aid Fire	Cancelled upon arrival	C1, E2, T1
10/13/2018	Rt 114, Lake Massasecum, Bradford		Mutual Aid Rescue	Assisted Bradford with recovery	B2, PV, E4
10/15/2018	76 Mountain Rd		Alarm Activation	CO Alarm, checked with meter, no reading	E4, PV, PD
10/16/2018	Rt 103 & Village Rd		Electrical Hazard	Tree on telephone wires, cleared debris	R1, C1, PV
10/17/2018	Route 103		Medical	Lift Assist, NLA Resp, no Transport	R1,
10/17/2018	18 Whitney's Way		Electrical Hazard	Low hanging phone lines, no hazard	C1
10/17/2018	Sutton Rd		Medical	NLA Transported to Concord	C1, R1
10/19/2018	Route 103		Medical	NLA Transported to NLH	R1,
10/19/2018	Baker Hill Rd		Medical	NLA Transported to NLH	R`1, C1
10/27/2018	109 South Rd		Odor of gasoline	Leak from snowblower in basement, vented house	C1, E4,
10/27/2018	Route 103		Medical	Medical alarm, no one home	C1, PD
10/30/2018	958 Route 103		Odor of Gas	Checked with meters, no reading	PV, PD
10/30/2018	559 Park Rd		Alarm Activation	Resort staff checked Summit lodge, Nothing found	E4, PV
10/30/2018	Route 103		Medical	NLA Transported to White River	R1, E4, PD

Newbury Fire Rescue  
2018 YTD Run Summary

11/1/2018	Bowles Rd		Public Service	Lift Assist	PV
11/1/2018	559 Park Rd (Summit Lodge)		Alarm Activation	Alarm malfunction	PV, PD
11/2/2018	156 Mount Sunapee Rd (Spruce Lodge)		Alarm Activation	Nothing Found	C1,E4
11/2/2018	Route 103/Colburn Farm Rd		Road obstruction	Rocks blocking road, closed Route 103	C1, R1, PV, Pd
11/3/2018	21 High Ridge Rd		Water Problem	Flooded basement, No service required	E4
11/5/2018	Gillingham Dr		Medical	NLA Transported to DHMC	EC1, R1, PD, PV
11/5/2018	389 Mountain Rd		Service Call	Police Assist	E4, PD
11/5/2018	60 Mountain Rd		Electrical Hazard	Notified Eversource	C1
11/7/2018	1045 Route 103		CO Investigation	No readings on meter	C1,E4
11/8/2018	976 Route 103 (Bubbas)		Alarm Activation	Set off by workers	C1,E4,PD
11/10/2018	Ramblewood at Route 103A		Road obstruction	Moved branch off the RoadC	C1,E4, PV
11/10/2018	Ramblewood Cir		Medical	NLA Transported to NLH, Sutton PD Assist	C1, R1, PV, Pd
11/11/2018	Cheney Rd		Medical	Lift Assist	C1,R1,PD, PV
11/11/2018	Route 103A/Cloverfield		Hazmat	Spill, hydraulic oil	C1, R1,E4
11/13/2018	Route 103A/ Steve's Rd		Motor Vehicle Collision	Car off the road, no PI, Amb Resp no Transport	C1, R1,E4, PV
11/15/2018	150 Bowles Rd		Alarm Activation	Local alarm reported by neighbor, faulty detector	E4, PD
11/16/2018	Sutton Rd At Poor Farm Rd		Motor Vehicle Collision	Car off the road, no PI	C1, PV
11/17/2018	290 Baker Hill Rd. Sutton		Mutual Aid Building Fire	Water supply for house fire	E2, E3
11/17/2018	Route 103B		Motor Vehicle Collision	Car hit pole gone upon arrival	R1, PV
11/18/2018	Route 103A & Chalk Pond Rd		Motor Vehicle Collision	Car off the road, no PI	C1, R1,E4
11/21/2018	Chalk Pond Rd at Gerald Dr		Electrical Hazard	Closed road for Eversource	C1, E4, PV
11/22/2018	52 Newbury Heights Rd		Medical	NLA Transported to DHMC	C1, R1, PV, Pd
11/22/2018	Fortune Ln		Medical	NLA Transported to DHMC	C1,R1,PD, PV
11/24/2018	Forest Brook Rd		Medical	NLA Transported to NLH	C1, R1, PV, Pd
11/25/2018	147 Village Rd, S Newbury Church		Medical	NLA Transported to Concord	R1, PV, PD
11/25/2018	Baypoint Rd		Medical	NLA Transported to NLH	R1, PV, PD
11/26/2018	Poor Farm Rd		Medical	NLA Transported to Concord	R1, PV, PD
11/26/2018	Route 103 at Ledge Hill		Motor Vehicle Collision	Disabled TT, No accident, No service	C1, PV
11/26/2018	Route 103 at Ledge Hill		Close roaddue to icy conditions	Stand by for removal of TT	C1, R1, PV, Pd, E4
11/26/2018	50 South Rd		Public Assist	Tree across road, coned road	C1
11/27/2018	273 Route 103A		Electrical Hazard	Wires down, put cones out	E4
11/27/2018	West Province		Electrical Hazard	Nothing Found	E4
11/27/2018	103 at Village Rd		Electrical Hazard	Line burning, extinguished	E4, PV
11/27/2018	Bowles Rd		Electrical Hazard	Coned Road	
11/27/2018	182 Cheney		Electrical Hazard	Coned road at 122	E4
11/27/2018	Grace Hill & 103A		Road obstruction	DOT in process of removing	E4, PV
11/27/2018	Route 103B		Road obstruction	DOT Contractor pushed limbs to the side	E4

Newbury Fire Rescue  
2018 YTD Run Summary

11/27/2018	85 Gillingham		Electrical Hazard	Closed road at Poor farm	PV
11/27/2018	50 South Rd		Electrical Hazard	Put out cones	PV
11/27/2018	Newell Rd		Electrical Hazard	Put out cones	R1
11/27/2018	40 Burch bluff		Electrical Hazard	Primary wire on ground, coned road	E4
11/27/2018	Shore Drive		Road obstruction	Cut up branches, opened road	E4
11/27/2018	South Rd/Highway Garage		Road obstruction	Put out cones	C1
11/27/2018	5 Shore Dr		Electrical Hazard	Tree down on shed & Power lines	E4
11/27/2018	104 Southgate		Public Assist	Assist elderly resident with no power	R1, C1, PD
11/27/2018	25 Washington St		Public Assist	Checked house for CO from generator	E4
11/27/2018	193 Route 103		Public Assist	Welfare checked, person at home OK	R1
11/27/2018	24 Gerald Dr		Electrical Hazard	Wires burning on, no hazard	E4
11/29/2018	193 Route 103		Motor Vehicle Incident	Car off Road, NHA transported to NLH	R1, E4
11/29/2018	Red House Rd		Public Assist	Welfare checked, person at home OK	E4, PD
11/29/2018	456 Route 103		Road obstruction	Moved branches out of road	C1
11/29/2018	6 Northpeak Village Rd		Alarm Activation	Set off by plumber, no fire	PV
11/30/2018	Cheney Rd		Service Call	Lift Assist	C1, E4, PV
11/30/2018	Route 103/Colburn Farm Rd		Motor Vehicle Collision	Two car collision, no PI, Ambulance cancelled	R1,E3,PV,PD,HD
12/2/2018	Route 103A & Chalk Pond		Motor Vehicle Collision	Car off road into woods, no PI, no transport	C1, R1, E4, PD, PV
12/5/2018	Route 103A & Blodgett Landing		Motor Vehicle Collision	Car off road into snowbank no PI,	C1, R1, PD
12/5/2018	High Ridge		Medical	NLA Transported to DHMC	C1, R1, PD
12/5/2018	Route 103 Quick Stop		Odor of Propane	Checked with meter. Nothing found	E4, PV, PD
12/6/2018	Southgate		Medical	NLA Transported to NLH	C1, R1, PD
12/7/2018	Newport Station		Mutual Aid Coverage	Cover on 3rd alarm building fire	C1,E2
12/7/2018	Birchfield Rd		Medical	NLA Transported to DHMC	C1, R1, PD
12/10/2018	Route 103 at Village Rd		Motor Vehicle Collision	Two car collision, no PI	R1, PV, Pd
12/10/2018	886 Route 103		Motor Vehicle Collision	Two car collision, no PI	PV, PD
12/11/2018	886 Route 103		Odor of Propane	Checked with meter. Nothing found	C1
12/13/2018	229 Old Post Rd		Building Fire	Contents ignited from Wood stove, out on arrival	C1, R1, E4, T1, PD
12/13/2018	6 Circleview Dr		Chimney Fire	Fire in exterior chimney pipe, extinguished	C1, E4, T1, PD, PV
12/13/2018	30 North Peak Village Rd		Alarm Activation	Set off by steam from Shower	E4, PD
12/14/2018	North Peak Village Rd		Medical	NLA Transported to DHMC	R1, Pd
12/15/2018	Bowles Rd		Lift Assist/medical	NLA Transported to NLH	R1, Pd
12/16/2018	524 Old Post Rd		Chimney Fire	Extinguished chimney fire	E4, PD
12/17/2018	Sutton Road		Motor Vehicle Collision	Car into tree, NLA Transported to NLH	R1, PV, Pd
12/17/2018	356 Chalk Pond Rd		Investigation	Battery timer sounding, no hazard	E4, PD
12/18/2018	Old Post Road		Medical	No reading on meter, No transport	C1, R1, E4, PD, PV

Newbury Fire Rescue  
2018 YTD Run Summary

12/19/2018	Old Country Road North		Electrical Hazard	Pole fire, burned itself out,	R1, PV
12/21/2018	Route 103 at Morse Rd		Motor Vehicle Collision	Jackknifed gasoline tanker, no PI, standby for tow	C1, R1, E4, PD, PV
12/22/2018	Chalk Pond Rd		Medical	NLA Transported to Concord	C1, R1, PD
12/22/2018	Old Post Road		Lift Assist	Ambulance cancelled upon arrival	C1, R1, PD
12/24/2018	18 Bay Point landing		Alarm Activation	Checked residence, no problem found	E4, PD
12/24/2018	Bowles Rd		Lift Assist	Ambulance cancelled upon arrival	R1, PV, Pd
12/24/2018	Old Sutton Road		Medical	NLA Responded, Pt taken by car to NLH	C1, R1, PV
12/26/2018	306 Bowles Road		Alarm Activation	Fireplace damper, no fire	PV, PD
12/27/2018	Bly Hill Landing		Medical	NLA Transported to NLH	R1, PV, Pd
12/24/2018	Route 103 at Morse Rd		Motor Vehicle Collision	Car off road into snowbank no PI,	C1, PD
12/28/2018	Newbury Heights Rd		Medical	NLA transported to NLH	C1, ER1, PD
12/28/2018	Bowles Rd		Lift Assist	NLA on scene with PD, No Patient Contact	R1, Pd
12/29/2018	Village Rd		Medical	NLA Transported to NLH	C1, R1, PD, PV
12/30/2018	27 Jolly Farm Rd, Sutton		Mutual Aid Coverage	Tanker 1 cancelled upon arrival	T1
12/31/2018	156 Mount Sunapee Rd		Public safety Detail	New Year's Fireworks Detail	C1

C1: Car 1
R1: Rescue 1
E2, 3, 4: Engines
T1: Tanker
PV: Personal Vehicle
PD: Police
Hwy: Highway Dept.